

## STEVAL-ILB005V2

# Demonstration board for the L6585DE combo IC for PFC and ballast control

Data Brief

#### **Features**

Input voltage: 88 Vac - 277 VacInput frequency: 50 Hz - 60 Hz

Output power: 54 W
Expected efficiency: 90%
Expected Input power: 60 W
Minimum PF required: 0.95

Maximum THD: 8%

Lamp voltage (run mode): 110 Vrms
 Lamp current (run mode): 455 mArms
 Maximum ignition voltage: 900 Vpk
 Maximum preheating voltage: < 240 Vac</li>

Preheating time: 1 sIgnition time: 60 - 100 ms


### **Description**

Requirements for modern fluorescent lamp electronic ballasts focus on driver efficiency and safety aspects.

Previous dedicated ICs for ballast applications allowed designers to achieve good driver efficiency, but they required a lot of external circuitry to obtain good power factor correction, low THD and a full set of protection features.

The STEVAL-ILB005V2 demonstration board is based on the new L6585DE combo IC for ballast applications, which offers designers a high-performance PFC stage, and a high capability, fully programmable, half-bridge high-voltage driver. The device is also equipped with a full set of protection features.

Designed in high-voltage BCD off-line technology, the L6585DE embeds a PFC controller, a half-bridge controller, the relevant drivers and all the logic circuitry necessary to build an electronic ballast.




Another important feature of the IC is its capability to control and limit the lamp voltage during the ignition phase.

The pre-heating and ignition durations are independently configurable, as are the half-bridge switching frequencies for each operating phase (pre-heating, ignition and normal mode).

Other features, such as half-bridge over-current with frequency increase and PFC over-voltage, allow designers to build a reliable, flexible solution with a reduced component count.

Schematic diagram STEVAL-ILB005V2

## 1 Schematic diagram



STEVAL-ILB005V2 Revision history

# 2 Revision history

Table 1. Document revision history

Date	Revision	Changes
24-Feb-2009	1	Initial release
18-Mar-2009	2	Updated main product on the title and in description

#### Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED ST REPRESENTATIVE, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2009 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com

577