



上海边光实业有限公司 SHANGHAI EDGE LIGHT INDUSTRY CO., LTD.

地址: 上海市松江区北闵路55号

邮编: 201611

Add: No. 55 Beimin Rd., Songjiang District, Shanghai, China Zip: 201611

Tel: +86-21-64412288

Fax: +86-21-64412266

## **LED Strip Specifications**

### 产品规格书

DESCRIPTION: SMD LED Strip

产品名称: SMD 贴片铝基板灯条

MODEL NO:

产品型号: ALS-12V-1W4-480

Shanghai Edge Light Industry Co., LTD.

TEL: +86-21-64412288


FAX: +86-21-64412266

E-mail: [info@cnelight.com](mailto:info@cnelight.com)

● 实物图 Picture of real products



● 平面尺寸图 Dimension (mm)



两端线黑线各长500mm

● LED 参数 Features

| 项目 Item                                 |                |
|-----------------------------------------|----------------|
| LED 型号 LED Part No                      | STPN-3629DB-E4 |
| LED 批号 LED LOT No                       | CREE TR260 芯片  |
| LED 波长或色温 Wavelength λ d (nm) Or Tc (k) | 5000-7000K     |
| LED 颜色 LED Color                        | Daylight White |

● 技术要求 technical request

| 序号<br>NO | 项目 item                    | 单位<br>units | 参数范围 Parameter range |
|----------|----------------------------|-------------|----------------------|
| 1        | 工作环境温度 working environment | ℃           | -20~40               |
| 2        | 储存条件 storage condition     | ℃           | -40~85               |
| 3        | 工作频率 work frequency        | Hz          | /                    |
| 4        | 额定电压 limited voltage       | V           | DC12                 |
| 5        | 输入电流 Input current         | mA          | 470±10%              |
| 6        | 功耗 Input power             | W           | 5.7±10%              |
| 7        | 光通量 luminous flux          | LM          | 470±10%              |
| 8        | 照度 illuminance(1M)         | LUX         | /                    |

使用说明 use manual:

1. 请先仔细阅读产品规格书,确认其使用环境是否符合规格书上的条件上,方可放心使用. Please read the specification first to make sure the using condition is fit
2. 将产品接入电源时,请先确保开关处于闭合状态..Please shut off the switch before connect the product, then turn on
3. 本产品仅限于室内使用,Indoor use only.