



TransImp® X3

EXTERNAL 3.5" HARD DRIVE ENCLOSURE
USB 3.0 INTERFACE

PLUS

EXTERNAL 3.5" HARD DRIVE ENCLOSURE

User's Manual / 使用手冊



◀ MODEL : TIP-375U3-BK

www.mukii.com.tw

PACKAGE INCLUDES




Please check your packing list to be sure all parts are received.




TransImp X3 PLUS x 1




Vertical stand X 1



AC Power Adapter X 1



USB 3.0 Cable X 1



Screw Pack X 1



User's Manual x 1



Value Added
Software CD X 1

TABLE OF CONTENTS

1.FEATURE / SPECIFICATIONS	2
2.SYSTEM REQUIREMENTS.....	3
3.PARTS LAYOUT.....	4
4.INSTALLATION	5
5.M1 TUNING SYSTEM INTRODUCTION	7
6.WARRANTY / CONTACT.....	8

目 錄

1. 產品特色 / 產品規格	10
2. 系統需求	11
3. 裝置說明	12
4. 安裝步驟	13
5. M1 硬碟調校程式介紹	15
6. 授權 / 保證書.....	16

1. FEATURE / SPECIFICATIONS

TransImp X3 PLUS

External Hard Drive Enclosure USB 3.0 Interface :




- Applicable to All The Major Commercially Available 3.5" SATA HDDs/SATA SSDs (Supporting SATA2 HDDs and Backward Compatible with SATA1 HDDs).
- USB interface for easy data access.
- Our unique LCD display shows the baud rate, keeping you informed of the transmission status.
- Compliant with USB 3.0 Backward Compatible With USB 2.0. Transfer rates up to 5Gb/s with USB 3.0.
- The premium glossy finish not only has superior ventilation, but also looks sleeker.
- Aluminum case provides excellent heat dissipation.
- Hot Swappable : Plug and play
- M1 Tuning System Included : Auto Format / Smart Energy Saving / USB Turbo / Auto Backup / Status Feedback. (Only for USB Interface)

SPECIFICATIONS

TransImp X3 PLUS

External Hard Drive Enclosure USB 3.0 Interface :

- Model : TIP-D375U3-BK
- Device support : SATA Hard Drive or SATA SSD
- Device size : 3.5"
- Internal interface : Serial ATA
- External interface : USB 3.0
- Material : Aluminum
- Dimension : 200 x 128 x 32 mm
- Power : AC Power Adapter



* For the most current storage capacity & operating system support, please check our website : www.mukii.com.tw

2. SYSTEM REQUIREMENTS



Intel Pentium II 350 MHz-compatible.
Microsoft Windows XP/VISTA/7(32/64bit).


1. USB Equipped System
 2. For USB 2.0 Speeds, the System must Support USB 2.0 Specifications
 3. For USB 3.0 Speeds, the System must Support USB 3.0 Specifications
 4. CD Rom Drive (for value added software)
- ※ USB 3.0 Only Support Windows XP and Later.



Mac G3 Processor .
Mac OS X v10.4 & and above.


1. USB Equipped System
 2. For USB 2.0 Speeds, the System must Support USB 2.0 Specifications
 3. For USB 3.0 Speeds, the System must Support USB 3.0 Specifications
 4. CD Rom Drive (for value added software)
- ※ In order to run USB 3.0 features, Mac motherboards and external PCI-E cards must have USB 3.0 specifications.

3. PARTS LAYOUT




4. INSTALLATION


1. Open TransImp X3 PLUS as shown in the picture. (Pic-A)



2. Place the hard drive in the TransImp X3 PLUS carefully. (Pic-B)




3. Slide hard drive into SATA connector and tighten the screws. (Pic-C)




4. INSTALLATION


4. Push the drive caddy back into the aluminum housing. (Pic-D)



5. Connect the LED signal cable to the PCBA. (Pic-E)




6. Make sure to fasten the 2 screws on the back of the housing. (Pic-F)



5. M1 TUNING SYSTEM INSTALLATION

Auto Format :

Partition and format your hard drive into one or two disks, label your disk and setting partition size as you want. (Pic-A)



(Pic-A)

Auto Backup :

Auto Backup automatically backup your critical data from local disk to MUKii TransImp external hard disk. (Pic-B)



(Pic-B)

Status Feedback :

When you connect MUKii TransImp external hard disk, you can read the status of your hard disk situation such as, the brand of HDD, available disk space, healthy condition. (Pic-C)



(Pic-C)

Smart Energy Saving :

The unit will be automatically running into sleeping mode when you stop operating it for a while.(Pic-D)



(Pic-D)

USB Turbo :

Boost TransImp external hard disk data transfer rate.(Pic-E)



(Pic-E)

※ Please Find Software CD for “ M1 TUNING SYSTEM ” User's Manual.

6. WARRANTY / CONTACT

The TransImp comes with a One (1) year Limited Warranty (90-day on defective parts). Should your product become defective within the specified time frame, please visit www.mukii.com.tw to receive instructions for obtaining repair or warranty exchange. Cosmetic defects and missing parts are not covered by this warranty. Please check to make sure all parts are included & no visible flaws. If a replacement is required for any cosmetic defects or missing parts, please contact the retailer from whom you purchased the Product immediately.

CONTACT



MUKii Technology INC.

2F, No. 588, Tanmei St, Neihu District, Taipei City 114, Taiwan (R.O.C)

TEL : 02-87927289 FAX : 02-87920373

www.mukii.com.tw

包裝內附




請先檢查產品內附是否齊全




勁速 X3 PLUS x 1




外接盒專用立座 x 1



專用變壓器 x 1



USB 3.0高速傳輸線 x 1



螺絲包 x 1



使用說明書 x 1



增值程式光碟 x 1

1. 產品特色 / 規格

勁速 X3 PLUS

賽車級速度顯示 USB 3.0 高速硬碟外接盒



- 適用於市面上所有3.5吋SATA硬碟/SATA SSD（支援SATA2向下相容SATA1硬碟）。
- 透過USB介面，可輕易連接儲存設備至任何電腦存取資料。
- 獨家液晶螢幕顯示傳輸速度，隨時掌握傳輸狀態。
- USB傳輸介面符合USB 3.0標準規格並向下相容USB 2.0規格，最高支援5Gb/s傳輸速度。
- 高質感鏡面拋光處理，整體造型更具時尚高科技感。
- 鋁合金機體，散熱效能強。
- 隨插即用，支援熱插拔。
- 硬碟調校程式:HDD自動分割 / 省電功能 / USB Turbo / 自動備份 / 磁碟資訊回報

產品規格

勁速 X3 PLUS

賽車級速度顯示 USB 3.0 高速硬碟外接

- 產品型號 : TIP-375U3-BK
- 支援裝置 : SATA I/II 硬碟 / SATA SSD
- 裝置規格 : 3.5吋
- 內部連接介面 : Serial ATA
- 外部傳輸介面 : USB 3.0
- 外觀材質 : 鋁合金
- 本體尺寸 : 200 x 128 x 32 mm
- 電 源 : AC電源供應器



* 最新硬碟容量與作業系統支援請上萌科技網站查詢：www.mukii.com.tw

2. 系統需求



Intel Pentium II 350 MHz-compatible
Microsoft Windows 2000/XP/VISTA/7

1. 硬體配備支援USB介面
2. USB 2.0傳輸速度，系統須支援USB 2.0規格
3. USB 3.0傳輸速度，系統須支援USB 3.0規格
4. CD Rom 光碟機 (安裝增值程式使用)

※ USB 3.0 只支援 Windows XP 以上系統



Mac G3 processor 含以上
MAC OS X v10.4含以上

1. 硬體配備支援USB介面
2. USB 2.0傳輸速度，系統須支援USB 2.0規格
3. USB 3.0傳輸速度，系統須支援USB 3.0規格
4. CD Rom 光碟機 (安裝增值程式使用)

※ MAC主機板或MAC外接PCIE卡需支援USB 3.0規格，才可使用USB 3.0功能


3.裝置說明




4. 安裝步驟

1. 將勁速X3-PLUS外盒硬碟機座抽開。


(圖-A)




2. 把硬碟置入勁速X3-PLUS機座。(圖-B)




3. 把硬碟推置SATA槽插入，並鎖上螺絲固定硬碟。(圖-C)




4. 將機座接回外盒。(圖-D)



5. 將LED連接線接上電子板。(圖-E)



6. 將外盒後面兩顆螺絲鎖上。(圖-F)




5.M1硬調校程式介紹

硬碟自動分割：

可將硬碟分割為一個或兩個磁碟，並依照您的喜好為磁碟命名與設定磁碟容量。

(圖-A)



(圖-A)

自動備份：

可將本機硬碟中的資料備份至萌科技外接硬碟內。(圖-B)



(圖-B)

磁碟資訊回報：

當您連接萌科技硬碟外接盒時，會顯示您目前硬碟的狀態。(圖-C)

(硬碟廠牌.可用空間.健康狀態)



(圖-C)

省電功能：

當您閒置一段時間未使用硬碟時，會自動進入休眠狀態節省用電。(圖-D)



(圖-D)

USB Turbo：

可加速外接硬碟傳輸資料的速度。(圖-E)



(圖-E)

※ 獨家“M1硬碟調校程式”詳見光碟內容

6.授權/保證書

萌銓科技實業股份有限公司

(維修記錄表)

持有人姓名:					持 有 人 自 行 填 寫
電話: (行動)	: (室內)				
地址:	縣 市	鄉 鎮	村 里	路 街	
	段	巷	弄	號	

產品編號		維 修 專 員 填 寫	
1	收件日期		無法修復原因:
	維修專員		
	費 用		
是否修復	☐ 是 ☐ 否		
2	收件日期		無法修復原因:
	維修專員		
	費 用		
	是否修復	☐ 是 ☐ 否	

(需蓋經銷商章, 保固方有效, 此保固卡只限於台灣地區使用)

萌銓科技實業股份有限公司

(產品保固卡)



產品名稱: 勁速 X3 PLUS-3.5吋鋁合金高速硬碟外接盒

購買日期: 年 月 日

產品型號: TIP-375U3-BK

- 商品憑保固卡享有自購買日起一年內之保固服務。
- 保固卡如有遺失, 恕不補發請妥善保管。
- 產品在保固期間如有下列情況亦得酌收費用, 敬請見諒。

- 1) 因人員未按使用手冊上之規定及注意事項而造成損壞。
- 2) 天災地變或電壓異常造成損壞。
- 3) 未能出示保固卡或相關購買證明。
- 4) 保固卡經塗改或難以辨識。

• 產品在保固期間如需維修服務時, 請提出保固卡或相關購買證明。



客服相關訊息

服務時間: 週一到週五09:00-12:00及14:00-1800(假日除外)

專線: (02)-87927289 ; 傳真: (02)-87920373

電郵: cs@mukii.com.tw ; http://www.mukii.com.tw

住址: 台北市內湖區潭美街588號2樓

(需蓋經銷商章, 保固方有效, 此保固卡只限於台灣地區使用)